

60 Jalan Lam Huat #05-44 Carros Centre Singapore 747869

Opening Hours: 830am to 530pm

Email: waloautosg@gmail.com

Hp: 90600956



BUILT TO MOVE BUSINESSES

Robust and spacious for delivering maximum productivity

AN ORGANISED INTERIOR

Designed for convenience and efficiency, the ergonomic cabin allows drivers to achieve better performance in comfort

ABUNDANT SPACE AND UTILITY

Transport more on fewer trips

Maximise your payloads with a deck this generous in space. And for greater efficiency, the drop sides offer easy loading and unloading.



IMPROVED REAR SUSPENSION

Greater stability and strength

The semi-elliptic leaf spring rear suspension allows for enhanced productivity, stability, comfort, and safety even when delivering a full load of heavy cargo. And with a double wishbone and stabiliser, the front suspension ensures better manoeuvrability and handling—meaning every turn





IMPROVED ACCESSIBILITY All you need, within reach

The upgraded ergonomic dashboard puts the frequently used buttons you use the closest to you, making your driving experience both convenient and intuitive.



DIESEL PARTICULATE FILTER (DPF) SYSTEM FOR CLEANER, BETTER DRIVES

Remove accumulated Particulate Matter (PM) trapped in the filter with the DPF switch:

- 1. When DPF indicator lights up, park the vehicle in a safe place as soon as possible, and leave the engine idling.
- 2. Put the transmission in neutral and engage the parking brake.
- 3. Press the DPF switch (as shown) to start the cleaning process. It will take approximately 15-40 minutes.
- 4. Once the cleaning is complete, the DPF indicator light will automatically switch off.



A SPACIOUS CABIN

Drive in better comfort

Thoughtfully designed with plenty of room, the spacious cockpit allows you for comfort and convenience in every drive. Enjoy a range of storage options and handy foldover middle seat that lets you stay organised on the go!

GREATER PERFORMANCE

Power and reliability for your every need

EXTENSIVE SAFETY

Drive with peace of mind



EURO VI COMPLIANT 1GD-FTV ENGINE

Power without compromise

With a turbocharger and intercooler providing class-leading thermal efficiency and a higher torque at low engine speeds, the new 1GD-FTV engine achieves better fuel economy, quietness, power, and cleaner emissions. And with a maximum torque of 300Nm/3200rpm and maximum power output of 106kW/3,400rpm, you'll enjoy smoother acceleration and better performance from your unstoppable workhorse.

HIGHLY EFFICIENT TRANSMISSION

Easy to use, efficient, and reliable

Apart from manual transmission, the Hino Dutro also comes in an automatic transmission variant—the first of its kind across the Hino lineup!





ANTI-LOCK BRAKING SYSTEM (ABS)

Stay in complete control

The Anti-Lock Braking System allows the driver to maintain steering control during emergency braking.

VEHICLE STABILITY CONTROL (VSC)

Greater stability on every turn

Twisting roads? No worries! Vehicle Stability Control enhances stability, even on the tightest turns.

TRACTION CONTROL (TRC)

No slips, just grip

The in-built Traction Control enhances stability on slippery roads and helps to prevent skidding.

DUAL AIRBAGS

Protection you can count on

Dual airbags help minimise impact and injury in emergency situations.

COLOUR VARIATIONS



SPECIFICATIONS

| MODEL | | 10FT 3.7T MANUAL | 10FT 3.7T AUTO |
|---------------------------------|-------------|--|--|
| | | DIMENSION & WEIGHT | |
| Overall Length / Width / Height | mm | 4685 / 1695 / 1980 | 4685 / 1695 / 1980 |
| Wheelbase | mm | 2545 | 2545 |
| Tread (Front / Rear) | mm | Fr: 1440 / Rr: 1250 | Fr: 1440 / Rr: 1250 |
| Min. Turning Radius | m | 4.8 | 4.8 |
| Ground Clearance | mm | 155 | 155 |
| Max Laden Weight | kg | 3700 | 3700 |
| Unladen Weight | kg | 1780 | 1780 |
| Payload | kg | 1920 | 1920 |
| Deck Space (L / W / H) | mm | 3100 / 1600 / 380 | 3100 / 1600 / 380 |
| Seating Capacity (Incl. Driver) | | 3 | 3 |
| Rear Overhang | mm | 1180 | 1180 |
| | | ENGINE & TRANSMISSION | |
| Engine Model Code | | 1GD-FTV | 1GD-FTV |
| Engine Capacity | СС | 2755 | 2755 |
| Engine Type | | Diesel, Turbocharger & Intercooler, Vertical, 4-Cylinder, In-Line, Overhead Valve (DOHC) | Diesel, Turbocharger & Intercooler, Vertical, 4-Cylinder, In-Line, Overhead Valve (DOHC) |
| Bore x Stroke | mm | 92.0 x 103.6 | 92.0 x 103.6 |
| Compression Ratio | | 15.6 : 1 | 15.6 : 1 |
| Max Output | kW/ rpm | 106 / 3400 | 106 / 3400 |
| Max Torque | Nm / rpm | 300 / 3200 | 300 / 3200 |
| Transmission | | 5-Speed Manual | 6-Speed Auto |
| | 1st | 4.313 | 3.600 |
| Gear Ratio | 2nd | 2.330 | 2.090 |
| | 3rd | 1.436 | 1.488 |
| Geal Railo | 4th | 1.000 | 1.000 |
| | 5th | 0.838 | 0.687 |
| | 6th | - | 0.580 |
| Reverse Gear Ratio | | 4.220 | 3.732 |
| Rear Axle Gear Ratio | | 3.583 | 3.583 |
| Emissions Standard | | EURO VI | EURO VI |
| Fuel Tank Capacity | L | 60 | 60 |
| | | CHASSIS | |
| Driving System | | Rear Wheel Drive | Rear Wheel Drive |
| No of Axles | | 2 | 2 |
| Suspension | Front | Torsion Bar Springs With Double Wishbone & Stabilizer | Torsion Bar Springs With Double Wishbone & Stabilizer |
| | Rear | Semi-Elliptic Leaf Springs With Shock Absorbers | Semi-Elliptic Leaf Springs With Shock Absorbers |
| Stabilizer | | Front | Front |
| Steering Gear Type | | Rack & Pinion With Hydraulic Booster Type | Rack & Pinion With Hydraulic Booster Type |
| Steering Power Assist System | | Hydraulic | Hydraulic |
| Parking Brake Location | | Mechanical, Internal, Expanding Acting on Transmission Output Shaft | Mechanical, Internal, Expanding Acting on Transmission Output Shaft |
| Parking Brake Type | | Hand Lever | Hand Lever |

Addition of extra features may change figures in this chart.

Figures on fuel efficiency are an estimate. Actual figures may vary depending on each driver's usage.

Toyota Motor Corporation and Borneo Motors (Singapore) Pte Ltd reserves the right to alter any details of specifications and equipment without notice.

Vehicles pictured and specifications detailed in this catalogue may vary from models and equipment available in your area. Actual interior features and colours may differ from pictures shown. Vehicle body colour might differ slightly from the printed photos in this catalogue.

FEATURES

| MODEL | | 10FT 3.7T MANUAL | 10FT 3.7T AUTO |
|---------------------------------|-------|--|--|
| | | EXTERIOR | |
| Headlamps | | Halogen | Halogen |
| Keyless Entry | | With | With |
| Power Window | | With Jam Protection | With Jam Protection |
| Central Lock | | With | With |
| Side Mirror | | Powered Folding Mirror on Passenger Side | Powered Folding Mirror on Passenger Side |
| Туге | Front | 175 / 75R15 103/101 (S) | 175 / 75R15 103/101 (S) |
| | Rear | 145 / 80R13 88/86 (D) | 145 / 80R13 88/86 (D) |
| Deck Mechanism | | Rigid Steel Deck With Latch, Gate Chain/ Release, Hook & 3-Drop Sides | Rigid Steel Deck With Latch, Gate Chain/ Release, Hook & 3-Drop Sides |
| | | INTERIOR | |
| Power Steering | | With | With |
| Steering Column | | Titl & Telescopic Adjustment | Titl & Telescopic Adjustment |
| Driver Seat | | Ergonomically Designed With Recline & Slide | Ergonomically Designed With Recline & Slide |
| Multi-Information System (MID) | | With | With |
| Audio System | | With | With |
| Air Conditioner | | With | With |
| Folder-Over Middle Seat | | Yes | YuWan.Lim |
| Assist Grips | | With | 2023-06-20 15:52:12 |
| Inside Rear View Mirror | | With | |
| | | SAFETY FEATURES | With |
| Brake System | | Fr: Disc / Rr: Drum | YuWan.Lim |
| Service Brake Type | | Hydraulic System | 2023-06-20 15:55:59 |
| Anti-lock Braking System (ABS) | | With + Brake Assist (BA) | |
| Vehicle Stability Control (VSC) | | With | Remove this entire point |
| Traction Control (TRC) | | With | With |
| Side Guard | | With | With |
| Rear Underrun Bumper | | With | With |
| Brakes | Front | Ventilated Disc Brake | Ventilated Disc Brake |
| | Rear | Leading-Trailing Drum Brake | YuWan.Lim |
| Airbags | | 2 | 2023-06-20 15:56:44 |
| Safety Camera | | With | Brake System With |
| Seat Belts | | All Seats | Brake System All Seats |

THE ALL-NEW DUTRO 200 SERIES





